

In the Claims:

Please amend the claims as follows:

1. (Original) A post-foaming cleansing composition comprising at least one anionic surfactant, at least one non-ionic gelling agent and at least one post-foaming agent, characterised in that the ratio of anionic surfactant:non-ionic gelling agent is 4:1 or greater such that during manufacture the gel rigidity of the composition remains substantially unchanged for at least 4 minutes after addition of the said post-foaming agent to the remainder of the composition.
2. (Original) A post-foaming cleansing composition according to claim 1 wherein the non-ionic gelling agent is selected from any of the following either alone or in combination:- laureth-2, laureth-4, C12/13 pareth-3, cetareth-4 or oleth-3 or one or more glycol esters.
3. (Original) A post-foaming cleansing composition as claimed in claim 1, wherein the non-ionic gelling agent consists of laureth-4.
4. (Original) A post-foaming cleansing composition according to claim 1, wherein the non-ionic gelling agent constitutes from about 0.01% to about 8.0% by weight of the total composition.
5. (Original) A post-foaming cleansing composition according to claim 1, wherein the composition comprises at least one anionic surfactant together with at least one amphoteric surfactant.
6. (Original) A post-foaming cleansing composition according to claim 1, wherein the total surfactant constitutes from about 0.01% to about 30.0% by weight of the total composition.

7. (Original) A post-foaming cleansing composition according to claim 1, wherein the post-foaming agent comprises at least one saturated aliphatic hydrocarbon having from 4 to 6 carbons.
8. (Original) A post-foaming cleansing composition according to claim 1, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.
9. (Original) A method for the manufacture of a cleansing composition comprising the steps of:- adding at least one non-ionic gelling agent to a mixture comprising at least one anionic surfactant, such that the ratio of anionic surfactant: non-ionic gelling agent is 4:1 or greater, combining the ensuing mixture with at least one post-foaming agent and filling the mixture into a package prior to a gel structure being formed and, wherein the gel rigidity of the composition remains substantially unchanged for at least 4 minutes after addition of the said post-foaming agent to the said mixture.

Please add the following new claims:

- 10. (New) A post-foaming cleansing composition as claimed in claim 2, wherein the non-ionic gelling agent consists of laureth-4.
11. (New) A post-foaming cleansing composition according to claim 2, wherein the non-ionic gelling agent constitutes from about 0.01% to about 8.0% by weight of the total composition.
12. (New) A post-foaming cleansing composition according to claim 3, wherein the non-ionic gelling agent constitutes from about 0.01% to about 8.0% by weight of the total composition.
13. (New) A post-foaming cleansing composition according to claim 2, wherein the composition

comprises at least one anionic surfactant together with at least one amphoteric surfactant.

14. (New) A post-foaming cleansing composition according to claim 3, wherein the composition comprises at least one anionic surfactant together with at least one amphoteric surfactant.

15. (New) A post-foaming cleansing composition according to claim 4, wherein the composition comprises at least one anionic surfactant together with at least one amphoteric surfactant.

16. (New) A post-foaming cleansing composition according to claim 2, wherein the total surfactant constitutes from about 0.01% to about 30.0% by weight of the total composition.

17. (New) A post-foaming cleansing composition according to claim 3, wherein the total surfactant constitutes from about 0.01% to about 30.0% by weight of the total composition.

18. (New) A post-foaming cleansing composition according to claim 4, wherein the total surfactant constitutes from about 0.01% to about 30.0% by weight of the total composition.

19. (New) A post-foaming cleansing composition according to claim 5, wherein the total surfactant constitutes from about 0.01% to about 30.0% by weight of the total composition.

20. (New) A post-foaming cleansing composition according to claim 2, wherein the post-foaming agent comprises at least one saturated aliphatic hydrocarbon having from 4 to 6 carbons.

21. (New) A post-foaming cleansing composition according to claim 3, wherein the post-foaming agent comprises at least one saturated aliphatic hydrocarbon having from 4 to 6 carbons.

22. (New) A post-foaming cleansing composition according to claim 4, wherein the post-foaming agent comprises at least one saturated aliphatic hydrocarbon having from 4 to 6 carbons.
23. (New) A post-foaming cleansing composition according to claim 5, wherein the post-foaming agent comprises at least one saturated aliphatic hydrocarbon having from 4 to 6 carbons.
24. (New) A post-foaming cleansing composition according to claim 6, wherein the post-foaming agent comprises at least one saturated aliphatic hydrocarbon having from 4 to 6 carbons.
25. (New) A post-foaming cleansing composition according to claim 2, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.
26. (New) A post-foaming cleansing composition according to claim 3, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.
27. (New) A post-foaming cleansing composition according to claim 4, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.
28. (New) A post-foaming cleansing composition according to claim 5, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.
29. (New) A post-foaming cleansing composition according to claim 6, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.
30. (New) A post-foaming cleansing composition according to claim 7, wherein the post-foaming agent constitutes from about 0.01% to about 14% by weight of the total composition.